

Certified Low Leakage Air-Handling Units

The 2008 California Building Energy Efficiency Standards allow a performance compliance credit, for verified low leakage ducts for ducted split system air conditioners and heat pumps if a "Low Leakage Air-Handling Unit" is installed. In order to qualify as a Low Leakage Air-handling Unit (AHU), the AHU cabinet shall not leak at a rate greater than 2 percent of its nominal AHU airflow rate when pressurized to 250 Pa (1.0 inches of water) with all air inlets, air outlets, and condensate drain port(s) sealed. The nominal AHU airflow rate for heating-only systems shall be 21.7 cfm per kBtu/hr of rated heating output capacity. For systems with cooling, the nominal AHU airflow rate shall be 400 CFM per nominal ton of cooling capacity as specified by the system manufacturer or the heating-only system value, whichever is greater (2008 Reference Residential Appendix Sections RA3.1.4.3.10, and RA3.1.4.2.2).

Manufacturers of the AHU models listed in the tables in this directory have certified to the Energy Commission that these AHU models meet the qualifications for use for the low leakage air-handling unit compliance credit.

Additional models may be certified for use by applying to the Energy Commission. For further information regarding the procedures for certification contact:

Jeff R. Miller, PE
Mechanical Engineer
California Energy Commission
High Performance Buildings & Standards Development Office
916-651-6182
Jmiller@energy.ca.gov

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Lennox Industries	Merit Series	ML180UH045P24A FURNACE/GAS/45BTUH/2TON	Furnace		800	1.44
Lennox Industries	Merit Series	ML180UH045P36A FURNACE/GAS/45BTUH/3TON	Furnace		1200	0.96
Lennox Industries	Merit Series	ML180UH045XP36A FURNACE/GAS/45BTUH/3TON	Furnace		1200	0.96
Lennox Industries	Merit Series	ML180UH070P24A FURNACE/GAS/70BTUH/2TON	Furnace		800	1.44
Lennox Industries	Merit Series	ML180UH070XP36A FURNACE/GAS/70BTUH/3TON	Furnace		1200	0.96
Lennox Industries	Merit Series	ML180UH070P36A FURNACE/GAS/70BTUH/3TON	Furnace		1200	0.96
Lennox Industries	Merit Series	ML180UH090P36B FURNACE/GAS/90BTUH/3TON	Furnace		1200	0.92
Lennox Industries	Merit Series	ML180UH090P48B FURNACE/GAS/90BTUH/4TON	Furnace		1600	0.69
Lennox Industries	Merit Series	ML180UH090XP48B FURNACE/GAS/90BTUH/4TON	Furnace		1600	0.69
Lennox Industries	Merit Series	ML180UH110P48C FURNACE/GAS/110BTUH/4TON	Furnace		1600	0.92
Lennox Industries	Merit Series	ML180UH110P60C FURNACE/GAS/110BTUH/5TON	Furnace		2000	0.74
Lennox Industries	Merit Series	ML180UH110XP60C FURNACE/GAS/110BTUH/5TON	Furnace		2000	0.74
Lennox Industries	Merit Series	ML180UH135P60D FURNACE/GAS/135BTUH/5TON	Furnace		2000	0.79
Lennox Industries	Merit Series	ML180DF045P36A Furnace/Gas/45Btuh/3Ton	Furnace		1200	1.35
Lennox Industries	Merit Series	ML180DF070P36A Furnace/Gas/70Btuh/3Ton	Furnace		1200	1.35
Lennox Industries	Merit Series	ML180DF070XP36A Furnace/Gas/70Btuh/3Ton	Furnace		1200	1.35
Lennox Industries	Merit Series	ML180DF090P36B Furnace/Gas/90Btuh/3Ton	Furnace		1200	1.44
Lennox Industries	Merit Series	ML180DF090XP48B Furnace/Gas/90Btuh/4Ton	Furnace		1600	1.08
Lennox Industries	Merit Series	ML180DF110P60C Furnace/Gas/110Btuh/5Ton	Furnace		2000	1.05

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Lennox Industries	Merit Series	ML180DF0110XP60C Furnace/Gas/110Btuh/5Ton	Furnace		2000	1.05
Lennox Industries	Merit Series	ML180UH070XE36B FURNACE/GAS/70BTUH/3TON	Furnace		1200	0.92
Lennox Industries	Merit Series	ML180UH090E48B FURNACE/GAS/90K BTU 4TON	Furnace		1600	0.69
Lennox Industries	Merit Series	ML180UH090XE48B FURNACE/GAS/90BTUH/4TON	Furnace		1600	0.69
Lennox Industries	Merit Series	ML180UH090E60C FURNACE/GAS/90BTUH/5TON	Furnace		2000	0.74
Lennox Industries	Merit Series	ML180UH045E36A FURNACE/GAS/45BTUH/3TON	Furnace		1200	0.96
Lennox Industries	Merit Series	ML180UH045XE36A FURNACE/GAS/45BTUH/3TON	Furnace		1200	0.96
Lennox Industries	Merit Series	ML180UH070E36B FURNACE/GAS/70BTUH/3TON	Furnace		1200	0.92
Lennox Industries	Merit Series	ML180UH110E60C FURNACE/GAS/110BTUH/5TON	Furnace		2000	0.74
Lennox Industries	Merit Series	ML180UH110XE60C FURNACE/GAS/110BTUH/5TON	Furnace		2000	0.74
Lennox Industries	Merit Series	ML180UH135E60D FURNACE/GAS/135BTUH/5TON	Furnace		2000	0.79
Lennox Industries	Merit Series	ML180DF070E36B FURNACE/GAS/70BTUH/3TON	Furnace		1200	1.44
Lennox Industries	Merit Series	ML180DF090E48B FURNACE/GAS/90BTUH/4TON	Furnace		1600	1.08
Lennox Industries	Merit Series	ML180DF045E36A FURNACE/GAS/45BTUH/3TON	Furnace		1200	1.35
Lennox Industries	Merit Series	ML180DF110E60C FURNACE/GAS/110BTUH/5TON	Furnace		2000	1.05
Lennox Industries	Merit Series	ML180DF045P36A FURNACE/GAS/45BTUH/3TON	Furnace		1200	1.35
Lennox Industries	Merit Series	ML180DF070P36A FURNACE/GAS/70BTUH/3TON	Furnace		1200	1.35
Lennox Industries	Merit Series	ML180DF090P48B FURNACE/GAS/90BTUH/4TON	Furnace		1600	1.08
Lennox Industries	Merit Series	ML180DF110P60C FURNACE/GAS/110BTUH/5TON	Furnace		2000	1.05

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Lennox Industries	Elite Series	EL280UH045P24A FURNACE/GAS/45BTUH/2TON	Furnace		800	1.26
Lennox Industries	Elite Series	EL280UH070P48B FURNACE/GAS/70BTUH/4TON	Furnace		1600	0.71
Lennox Industries	Elite Series	EL280UH090P60C FURNACE/GAS/90BTUH/5TON	Furnace		2000	0.73
Lennox Industries	Elite Series	EL280UH110P36C FURNACE/GAS/110BTUH/3TON	Furnace		1200	1.22
Lennox Industries	Elite Series	EL280UH135P48D FURNACE/GAS/135BTUH/4TON	Furnace		1600	0.92
Lennox Industries	Elite Series	EL280UH045XP24A FURNACE/GAS/45BTUH/2TON	Furnace		800	1.26
Lennox Industries	Dave Lennox Signature Series	SL280UH070V36A IC FURN- GAS/70BTUH/3TON	Furnace		1200	0.84
Lennox Industries	Dave Lennox Signature Series	SL280UH070XV36A IC FURN- GAS/70BTUH/3TON	Furnace		1200	0.84
Lennox Industries	Dave Lennox Signature Series	SL280UH090V36B IC FURN- GAS/90BTUH/3TON	Furnace		1200	0.94
Lennox Industries	Dave Lennox Signature Series	SL280UH090XV48B IC FURN- GAS/90BTUH/4TON	Furnace		1600	0.71
Lennox Industries	Dave Lennox Signature Series	SL280UH090V48B IC FURN- GAS/90BTUH/4TON	Furnace		1600	0.71
Lennox Industries	Dave Lennox Signature Series	SL280UH090V60C IC FURN- GAS/90BTUH/5TON	Furnace		2000	0.73
Lennox Industries	Dave Lennox Signature Series	SL280UH090XV60C IC FURN- GAS/90BTUH/5TON	Furnace		2000	0.73
Lennox Industries	Dave Lennox Signature Series	SL280UH110V60C IC FURN- GAS/110BTUH/5TON	Furnace		2000	0.73
Lennox Industries	Dave Lennox Signature Series	SL280UH110XV60C IC FURN- GAS/110BTUH/5TON	Furnace		2000	0.73
Lennox Industries	Dave Lennox Signature Series	SL280UH135V60D IC FURN- GAS/135BTUH/5TON	Furnace		2000	0.67
Lennox Industries	Dave Lennox Signature Series	SL280DF070V36A IC FURN- GAS/70BTUH/3TON	Furnace		1200	1.49
Lennox Industries	Dave Lennox Signature Series	SL280DF090V48B IC FURN- GAS/90BTUH/4TON	Furnace		1600	1.21
Lennox Industries	Dave Lennox Signature Series	SL280DF090V60C IC FURN- GAS/90BTUH/5TON	Furnace		2000	0.72

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Lennox Industries	Dave Lennox Signature Series	SL280DF110V60C IC FURN-GAS/110BTUH/5TON	Furnace		2000	0.72
Lennox Industries	Merit Series	ML193UH045XP24B FURNACE-GAS/45BTUH/2T	Furnace		800	1.29
Lennox Industries	Merit Series	ML193UH045XP36B FURNACE-GAS/45BTUH/3T	Furnace		1200	0.86
Lennox Industries	Merit Series	ML193UH070XP24B FURNACE-GAS/70BTUH/2T	Furnace		800	1.29
Lennox Industries	Merit Series	ML193UH070XP36B FURNACE-GAS/70BTUH/3T	Furnace		1200	0.86
Lennox Industries	Merit Series	ML193UH090XP36C FURNACE-GAS/90BTUH/3T	Furnace		1200	0.82
Lennox Industries	Merit Series	ML193UH090XP48C FURNACE-GAS/90BTUH/4T	Furnace		1600	0.62
Lennox Industries	Merit Series	ML193UH110XP48C FURNACE-GAS/110BTUH/4T	Furnace		1600	0.62
Lennox Industries	Merit Series	ML193UH110XP60C FURNACE-GAS/110BTUH/5T	Furnace		2000	0.49
Lennox Industries	Merit Series	ML193UH135XP60D FURNACE-GAS/135BTUH/5T	Furnace		2000	0.67
Lennox Industries	Merit Series	ML193DF045XP36B FURNACE-GAS/45BTUH/3T	Furnace		1200	1.38
Lennox Industries	Merit Series	ML193DF070XP36B FURNACE-GAS/70BTUH/3T	Furnace		1200	1.38
Lennox Industries	Merit Series	ML193DF090XP48C FURNACE-GAS/90BTUH/4T	Furnace		1600	0.88
Lennox Industries	Merit Series	ML193DF110XP60C FURNACE-GAS/110BTUH/5T	Furnace		2000	0.70
Lennox Industries	Merit Series	ML195UH045XP24B FURNACE-GAS/45BTUH/2T	Furnace		800	1.29
Lennox Industries	Merit Series	ML195UH070XP36B FURNACE-GAS/70BTUH/3T	Furnace		1200	0.86
Lennox Industries	Merit Series	ML195UH090XP36C FURNACE-GAS/90BTUH/3T	Furnace		1200	0.82
Lennox Industries	Merit Series	ML195UH090XP48C FURNACE-GAS/90BTUH/4T	Furnace		1600	0.62
Lennox Industries	Merit Series	ML195UH110XP60C FURNACE-GAS/110BTUH/5T	Furnace		2000	0.49

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Lennox Industries	Merit Series	ML195UH045XP36B FURNACE- GAS/45BTUH/3T	Furnace		1200	0.86
Lennox Industries	Merit Series	ML195UH110XP48C FURNACEGAS/110BTUH/4T	Furnace		1600	0.62
Lennox Industries	Merit Series	ML195UH135XP60D FURNACEGAS/135BTUH/5T	Furnace		2000	0.67
Lennox Industries	Merit Series	ML195DF045XP36B FURNACE- GAS/45BTUH/3T	Furnace		1200	1.38
Lennox Industries	Merit Series	ML195DF070XP36B FURNACE- GAS/70BTUH/3TON	Furnace		1200	1.38
Lennox Industries	Merit Series	ML195DF090XP60C FURNACE- GAS/90BTUH/5TON	Furnace		2000	0.70
Lennox Industries	Merit Series	ML195DF110XP60C FURNACE- GAS/110BTUH/5TON	Furnace		2000	0.70
Lennox Industries	Elite Series	EL195UH070XE36B FURNACE- GAS/70BTUH/3TON	Furnace		1200	1.04
Lennox Industries	Elite Series	EL195UH090XE48C FURNACE- GAS/90BTUH/4TON	Furnace		1600	0.94
Lennox Industries	Elite Series	EL195UH110XE60C FURNACE- GAS/110BTUH/5T	Furnace		2000	0.75
Lennox Industries	Elite Series	EL195UH045XE36B FURNACE- GAS/45BTUH/3T	Furnace		1200	1.04
Lennox Industries	Elite Series	EL195UH135XE60D FURNACE- GAS/135BTUH/5T	Furnace		2000	0.71
Lennox Industries	Elite Series	EL195DF070XE48B FURNACE- GAS/70BTUH/4TON	Furnace		1600	1.34
Lennox Industries	Elite Series	EL195DF090XE48C FURNACE- GAS/90BTUH/4TON	Furnace		1600	1.58
Lennox Industries	Elite Series	EL195DF110XE60C FURNACE- GAS/110BTUH/5T	Furnace		2000	1.26
Lennox Industries	Elite Series	EL195DF045XE36B FURNACE- GAS/45BTUH/3TON	Furnace		1200	1.79
Lennox Industries	Elite Series	EL296UH045XV36B FURNACE- GAS/45BTUH/3TON	Furnace		1200	1.04
Lennox Industries	Elite Series	EL296UH070XV36B FURNACE- GAS/70BTUH/3TON	Furnace		1200	1.04
Lennox Industries	Elite Series	EL296UH090XV36C FURNACE- GAS/90BTUH/3TON	Furnace		1200	1.25

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Lennox Industries	Elite Series	EL296UH090XV48C FURNACE- GAS/90BTUH/4TON	Furnace		1600	0.94
Lennox Industries	Elite Series	EL296UH090XV60C FURNACE- GAS/90BTUH/5TON	Furnace		2000	0.75
Lennox Industries	Elite Series	EL296UH110XV48C FURNACE- GAS/110BTUH/4TON	Furnace		1600	0.94
Lennox Industries	Elite Series	EL296UH110XV60C FURNACE- GAS/110BTUH/5TON	Furnace		2000	0.75
Lennox Industries	Elite Series	EL296UH135XV60D FURNACE- GAS/135BTUH/5TON	Furnace		2000	0.71
Lennox Industries	Elite Series	EL296UH045XP24B FURNACE- GAS/45BTUH/2TON	Furnace		800	1.56
Lennox Industries	Elite Series	EL296UH045XP36B FURNACE- GAS/45BTUH/3TON	Furnace		1200	1.04
Lennox Industries	Elite Series	EL296UH070XP36B FURNACE- GAS/70BTUH/3TON	Furnace		1200	1.04
Lennox Industries	Elite Series	EL296UH090XP36C FURNACE- GAS/90BTUH/3TON	Furnace		1200	1.25
Lennox Industries	Elite Series	EL296UH090XP48C FURNACE- GAS/90BTUH/4TON	Furnace		1600	0.94
Lennox Industries	Elite Series	EL296UH090XP60C FURNACE- GAS/90BTUH/5TON	Furnace		2000	0.75
Lennox Industries	Elite Series	EL296UH110XP60C FURNACE- GAS/110BTUH/5TON	Furnace		2000	0.75
Lennox Industries	Elite Series	EL296UH135XP60D FURNACE- GAS/135BTUH/5TON	Furnace		2000	0.71
Lennox Industries	Elite Series	EL296DF045XV36B FURNACE- GAS/45BTUH/3TON	Furnace		1200	1.79
Lennox Industries	Elite Series	EL296DF070XV48B FURNACE- GAS/70BTUH/4TON	Furnace		1600	1.34
Lennox Industries	Elite Series	EL296DF090XV60C FURNACE- GAS/90BTUH/5TON	Furnace		2000	1.26
Lennox Industries	Elite Series	EL296DF110XV60C FURNACE- GAS/110BTUH/5TON	Furnace		2000	1.26
Lennox Industries	Elite Series	EL296DF045XP36B FURNACE- GAS/45BTUH/3TON	Furnace		1200	1.79
Lennox Industries	Elite Series	EL296DF070XP36B FURNACE- GAS/70BTUH/3TON	Furnace		1200	1.79

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Lennox Industries	Elite Series	EL296DF090XP48C FURNACE- GAS/90BTUH/4TON	Furnace		1600	1.58
Lennox Industries	Elite Series	EL296DF110XP60C FURNACE- GAS/110BTUH/4TON	Furnace		1600	1.26
Lennox Industries	Dave Lennox Signature Series	SLP98UH070XV36B FURNACE- GAS/70BTUH/3T	Furnace		1200	1.04
Lennox Industries	Dave Lennox Signature Series	SLP98UH090XV36C FURNACE- GAS/90BT/3T	Furnace		1200	1.25
Lennox Industries	Dave Lennox Signature Series	SLP98UH090XV48C FURNACE- GAS/90BT/4T	Furnace		1600	0.94
Lennox Industries	Dave Lennox Signature Series	SLP98UH090XV60C FURNACE- GAS/90BTUH/5T	Furnace		2000	0.75
Lennox Industries	Dave Lennox Signature Series	SLP98UH110XV60C FURNACE- GAS/110BH/5T	Furnace		2000	0.75
Lennox Industries	Dave Lennox Signature Series	SLP98UH135XV60D FURNACE- GAS/135BT/5T	Furnace		2000	0.71
Lennox Industries	Dave Lennox Signature Series	SLP98UH090XV60C FURNACE- GAS/90BTUH/5TON	Furnace		2000	0.75
Lennox Industries	Dave Lennox Signature Series	SLP98DF070XV36B FURNACE- GAS/70BTUH/3T	Furnace		1200	1.79
Lennox Industries	Dave Lennox Signature Series	SLP98DF090XV48C FURNACE- GAS/90BTUH/4T	Furnace		1600	1.58
Lennox Industries	Dave Lennox Signature Series	SLP98DF090XV60C FURNACE- GAS/90BTUH/5T	Furnace		2000	1.26
Lennox Industries	Dave Lennox Signature Series	SLP98DF110XV60C FURNACE- GAS/110BTU/5T	Furnace		2000	1.26
Lennox Industries	Aire-Flo	80AF1UH045P12A FURNACE- GAS45KB/3TON	Furnace		1200	0.96
Lennox Industries	Aire-Flo	80AF1UH070P12A FURNACE- GAS70KB/3TON	Furnace		1200	0.96
Lennox Industries	Aire-Flo	80AF1UH090P12B FURNACE- GAS90KB/3TON	Furnace		1200	0.92
Lennox Industries	Aire-Flo	80AF1UH090P16B FURNACE- GAS90KB/4TON	Furnace		1600	0.69
Lennox Industries	Aire-Flo	80AF1UH110P16C FURNACE- GAS110KB/4TON	Furnace		1600	0.92
Lennox Industries	Aire-Flo	80AF1UH110P20C FURNACE- GAS110KB/5TON	Furnace		2000	0.74

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Lennox Industries	Aire-Flo	80AF1UH135P20D FURNACE- GAS135KB/5TON	Furnace		2000	0.79
Lennox Industries	Aire-Flo	80AF1UH045P12AL FURNACE- GAS45KB/3TON	Furnace		1200	0.96
Lennox Industries	Aire-Flo	80AF1UH070P12AL FURNACE- GAS70KB/3TON	Furnace		1200	0.96
Lennox Industries	Aire-Flo	80AF1UH090P16BL FURNACE- GAS90KB/4TON	Furnace		1600	0.69
Lennox Industries	Aire-Flo	80AF1UH110P20CL FURNACE- GAS110KB/5TON	Furnace		2000	0.69
Lennox Industries	Aire-Flo	80AF1DF045P12A FURNACE- GAS45KB/3TON	Furnace		1200	1.35
Lennox Industries	Aire-Flo	80AF1DF070P12A FURNACE- GAS70KB/3TON	Furnace		1200	1.35
Lennox Industries	Aire-Flo	80AF1DF090P16B FURNACE- GAS90KB/4TON	Furnace		1600	1.08
Lennox Industries	Aire-Flo	80AF1DF110P20C FURNACE- GAS110KB/5TON	Furnace		2000	1.05
Lennox Industries	Aire-Flo	92AF1UH045P08B FURNACE- GAS45KB/2TON	Furnace		800	1.29
Lennox Industries	Aire-Flo	92AF1UH045P12B FURNACE- GAS45KB/3TON	Furnace		1200	0.86
Lennox Industries	Aire-Flo	92AF1UH070P08B FURNACE- GAS70KB/2TON	Furnace		800	1.29
Lennox Industries	Aire-Flo	92AF1UH070P12B FURNACE- GAS70KB/3TON	Furnace		1200	0.86
Lennox Industries	Aire-Flo	92AF1UH090P12C FURNACE- GAS90KB/3TON	Furnace		1200	.082
Lennox Industries	Aire-Flo	92AF1UH090P16C FURNACE- GAS90KB/4TON	Furnace		1600	0.62
Lennox Industries	Aire-Flo	92AF1UH110P16C FURNACE- GAS110KB/4TON	Furnace		1600	0.62
Lennox Industries	Aire-Flo	92AF1UH110P20C FURNACE- GAS110KB/5TON	Furnace		2000	0.49
Lennox Industries	Aire-Flo	92AF1UH135P20D FURNACE- GAS135KB/5TON	Furnace		2000	.067
Lennox Industries	Aire-Flo	92AF1DF045P12B FURNACE- GAS45KB/3TON	Furnace		1200	1.38

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Lennox Industries	Aire-Flo	92AF1DF070P12B FURNACE- GAS70KB/3TON	Furnace		1200	1.38
Lennox Industries	Aire-Flo	92AF1DF090P16C FURNACE- GAS90KB/4TON	Furnace		1600	0.88
Lennox Industries	Aire-Flo	92AF1DF110P20C FURNACE- GAS110KB/5TON	Furnace		2000	0.70
Lennox Industries	Aire-Flo	95AF1UH045P08B FURNACE- GAS45KB/2TON	Furnace		800	1.29
Lennox Industries	Aire-Flo	95AF1UH070P12B FURNACE- GAS70KB/3TON	Furnace		1200	0.86
Lennox Industries	Aire-Flo	95AF1UH090P12C FURNACE- GAS90KB/3TON	Furnace		1200	0.82
Lennox Industries	Aire-Flo	95AF1UH090P16C FURNACE- GAS90KB/4TON	Furnace		1600	0.62
Lennox Industries	Aire-Flo	95AF1UH110P20C FURNACE- GAS110KB/5TON	Furnace		2000	0.49
Lennox Industries	Aire-Flo	95AF1DF045P12B FURNACE- GAS45KB/3TON	Furnace		1200	1.38
Lennox Industries	Aire-Flo	95AF1DF070P12B FURNACE- GAS70KB/4TON	Furnace		1600	1.38
Lennox Industries	Aire-Flo	95AF1DF090P20C FURNACE- GAS90KB/5TON	Furnace		2000	0.70
Carrier Corporation	Carrier	59MN7A060V17-14	Furnace		1400	0.55%
Carrier Corporation	Carrier	59MN7A060V21-20	Furnace		2000	0.61%
Carrier Corporation	Carrier	59MN7A080V17-14	Furnace		1400	0.44%
Carrier Corporation	Carrier	59MN7A080V21-20	Furnace		2000	0.61%
Carrier Corporation	Carrier	59MN7A100V21-22	Furnace		2200	0.55%
Carrier Corporation	Carrier	59MN7A120V24-22	Furnace		2200	0.53%
Carrier Corporation	Carrier	59TN6A060V17-14	Furnace		1400	0.55%
Carrier Corporation	Carrier	59TN6A080V17-14	Furnace		1400	0.44%
Carrier Corporation	Carrier	59TN6A080V21-20	Furnace		2000	0.61%
Carrier Corporation	Carrier	59TN6A100V21-22	Furnace		2200	0.55%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Carrier Corporation	Carrier	59TN6A120V24-22	Furnace		2200	0.53%
Carrier Corporation	Carrier	59TP5A040E14-10	Furnace		1000	0.76%
Carrier Corporation	Carrier	59TP5A060E17-14	Furnace		1400	0.55%
Carrier Corporation	Carrier	59TP5A080E17-16	Furnace		1600	0.44%
Carrier Corporation	Carrier	59TP5A080E21-20	Furnace		2000	0.61%
Carrier Corporation	Carrier	59TP5A100E21-20	Furnace		2000	0.56%
Carrier Corporation	Carrier	59TP5A120E24-22	Furnace		2200	0.53%
Carrier Corporation	Carrier	59SP5A040E14-10	Furnace		1000	0.76%
Carrier Corporation	Carrier	59SP5A060V17-14	Furnace		1400	0.55%
Carrier Corporation	Carrier	59SP5A080E17-16	Furnace		1600	0.44%
Carrier Corporation	Carrier	59SP5A080E21-20	Furnace		2000	0.61%
Carrier Corporation	Carrier	59SP5A100E21-20	Furnace		2000	0.56%
Carrier Corporation	Carrier	59SP5A100E21-16	Furnace		1600	0.56%
Carrier Corporation	Carrier	59SP5A120E24-22	Furnace		2200	0.53%
Carrier Corporation	Carrier	59SC5A040S14-10	Furnace		1000	0.76%
Carrier Corporation	Carrier	59SC5A060S14-10	Furnace		1000	0.58%
Carrier Corporation	Carrier	59SC5A060S17-14	Furnace		1400	0.55%
Carrier Corporation	Carrier	59SC5A080S17-16	Furnace		1600	0.44%
Carrier Corporation	Carrier	59SC5A080S21-20	Furnace		2000	0.61%
Carrier Corporation	Carrier	59SC5A100S21-14	Furnace		1400	0.56%
Carrier Corporation	Carrier	59SC5A100S21-20	Furnace		2000	0.56%
Carrier Corporation	Carrier	59SC5A120S24-20	Furnace		2000	0.53%
Carrier Corporation	Carrier	59SC5A140S24-20	Furnace		2000	0.46%
Carrier Corporation	Carrier	59SC2A040S14-10	Furnace		1000	0.76%
Carrier Corporation	Carrier	59SC2A060S14-10	Furnace		1000	0.58%
Carrier Corporation	Carrier	59SC2A060S17-14	Furnace		1400	0.55%
Carrier Corporation	Carrier	59SC2A080S17-16	Furnace		1600	0.44%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Carrier Corporation	Carrier	59SC2A080S21-20	Furnace		2000	0.61%
Carrier Corporation	Carrier	59SC2A100S21-14	Furnace		1400	0.56%
Carrier Corporation	Carrier	59SC2A100S21-20	Furnace		2000	0.56%
Carrier Corporation	Carrier	59SC2A120S24-20	Furnace		2000	0.53%
Bryant Heating and Cooling Systems	Bryant	987MA42060V17	Furnace		1400	0.55%
Bryant Heating and Cooling Systems	Bryant	987MA60060V21	Furnace		2000	0.61%
Bryant Heating and Cooling Systems	Bryant	987MA42080V17	Furnace		1400	0.44%
Bryant Heating and Cooling Systems	Bryant	987MA60080V21	Furnace		2000	0.61%
Bryant Heating and Cooling Systems	Bryant	987MA60100V21	Furnace		2200	0.55%
Bryant Heating and Cooling Systems	Bryant	987MA66120V24	Furnace		2200	0.53%
Bryant Heating and Cooling Systems	Bryant	986TA30040V14	Furnace		1000	0.76%
Bryant Heating and Cooling Systems	Bryant	986TA42060V17	Furnace		1400	0.55%
Bryant Heating and Cooling Systems	Bryant	986TA42080V17	Furnace		1600	0.44%
Bryant Heating and Cooling Systems	Bryant	986TA60080V21	Furnace		2000	0.61%
Bryant Heating and Cooling Systems	Bryant	986TA48100V21	Furnace		2000	0.56%
Bryant Heating and Cooling Systems	Bryant	986TA66120V24	Furnace		2200	0.53%
Bryant Heating and Cooling Systems	Bryant	925TA30040V14	Furnace		1000	0.76%
Bryant Heating and Cooling Systems	Bryant	925TA42060V17	Furnace		1400	0.55%
Bryant Heating and Cooling Systems	Bryant	925TA42080V17	Furnace		1600	0.44%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Bryant Heating and Cooling Systems	Bryant	925TA60080E21	Furnace		2000	0.61%
Bryant Heating and Cooling Systems	Bryant	925TA60100V21	Furnace		2000	0.56%
Bryant Heating and Cooling Systems	Bryant	925TA66120V24	Furnace		2200	0.53%
Bryant Heating and Cooling Systems	Bryant	925SA30040V14	Furnace		1000	0.76%
Bryant Heating and Cooling Systems	Bryant	925SA42060V17	Furnace		1400	0.55%
Bryant Heating and Cooling Systems	Bryant	925SA42080V17	Furnace		1600	0.44%
Bryant Heating and Cooling Systems	Bryant	925SA60080E21	Furnace		2000	0.61%
Bryant Heating and Cooling Systems	Bryant	925SA48100V21	Furnace		1600	0.56%
Bryant Heating and Cooling Systems	Bryant	925SA66120V24	Furnace		2200	0.53%
Bryant Heating and Cooling Systems	Bryant	915SA30040S14	Furnace		1000	0.76%
Bryant Heating and Cooling Systems	Bryant	915SA30060S14	Furnace		1000	0.58%
Bryant Heating and Cooling Systems	Bryant	915SA42060S17	Furnace		1400	0.55%
Bryant Heating and Cooling Systems	Bryant	915SA48080S17	Furnace		1600	0.44%
Bryant Heating and Cooling Systems	Bryant	915SA60080S21	Furnace		2000	0.61%
Bryant Heating and Cooling Systems	Bryant	915SA42100S21	Furnace		1400	0.56%
Bryant Heating and Cooling Systems	Bryant	915SA60100S21	Furnace		2000	0.56%
Bryant Heating and Cooling Systems	Bryant	915SA60120S24	Furnace		2000	0.53%
Bryant Heating and Cooling Systems	Bryant	915SA60140S24	Furnace		2000	0.46%
Bryant Heating and Cooling Systems	Bryant	912SA30040S14	Furnace		1000	0.76%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Bryant Heating and Cooling Systems	Bryant	912SA30060S14	Furnace		1000	0.58%
Bryant Heating and Cooling Systems	Bryant	912SA42060S17	Furnace		1400	0.55%
Bryant Heating and Cooling Systems	Bryant	912SA48080S17	Furnace		1600	0.44%
Bryant Heating and Cooling Systems	Bryant	912SA60080S21	Furnace		2000	0.61%
Bryant Heating and Cooling Systems	Bryant	912SA42100S21	Furnace		1400	0.56%
Bryant Heating and Cooling Systems	Bryant	912SA60100S21	Furnace		2000	0.56%
Bryant Heating and Cooling Systems	Bryant	912SA60120S24	Furnace		2000	0.53%
International Comfort Products, LLC	TEMPSTAR	F9MAC0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	TEMPSTAR	F9MAC0602120A	Furnace		2000	0.61%
International Comfort Products, LLC	TEMPSTAR	F9MAC0801714A	Furnace		1400	0.44%
International Comfort Products, LLC	TEMPSTAR	F9MAC0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	TEMPSTAR	F9MAC1002122A	Furnace		2200	0.55%
International Comfort Products, LLC	TEMPSTAR	F9MAC1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	TEMPSTAR	F9MVT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	TEMPSTAR	F9MVT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	TEMPSTAR	F9MVT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	TEMPSTAR	F9MVT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	TEMPSTAR	F9MVT1002120A	Furnace		2000	0.56%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	TEMPSTAR	F9MVT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	TEMPSTAR	F9MXT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	TEMPSTAR	F9MXT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	TEMPSTAR	F9MXT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	TEMPSTAR	F9MXT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	TEMPSTAR	F9MXT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	TEMPSTAR	F9MXT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	TEMPSTAR	F9MXE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	TEMPSTAR	F9MXE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	TEMPSTAR	F9MXE0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	TEMPSTAR	F9MXE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	TEMPSTAR	F9MXE1002120A	Furnace		1600	0.56%
International Comfort Products, LLC	TEMPSTAR	F9MXE1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	ARCOAIRE	F9MAC0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ARCOAIRE	F9MAC0602120A	Furnace		2000	0.61%
International Comfort Products, LLC	ARCOAIRE	F9MAC0801714A	Furnace		1400	0.44%
International Comfort Products, LLC	ARCOAIRE	F9MAC0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ARCOAIRE	F9MAC1002122A	Furnace		2200	0.55%
International Comfort Products, LLC	ARCOAIRE	F9MAC1202422A	Furnace		2200	0.53%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	ARCOAIRE	F9MVT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	ARCOAIRE	F9MVT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ARCOAIRE	F9MVT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	ARCOAIRE	F9MVT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ARCOAIRE	F9MVT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	ARCOAIRE	F9MVT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	ARCOAIRE	F9MXT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	ARCOAIRE	F9MXT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ARCOAIRE	F9MXT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	ARCOAIRE	F9MXT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ARCOAIRE	F9MXT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	ARCOAIRE	F9MXT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	ARCOAIRE	F9MXE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	ARCOAIRE	F9MXE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ARCOAIRE	F9MXE0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	ARCOAIRE	F9MXE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ARCOAIRE	F9MXE1002120A	Furnace		1600	0.56%
International Comfort Products, LLC	ARCOAIRE	F9MXE1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KENMORE	F9MAC0601714A	Furnace		1400	0.55%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	KENMORE	F9MAC0602120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	F9MAC0801714A	Furnace		1400	0.44%
International Comfort Products, LLC	KENMORE	F9MAC0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	F9MAC1002122A	Furnace		2200	0.55%
International Comfort Products, LLC	KENMORE	F9MAC1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KENMORE	F9MVT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KENMORE	F9MVT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KENMORE	F9MVT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	KENMORE	F9MVT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	F9MVT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	KENMORE	F9MVT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KENMORE	F9MXT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KENMORE	F9MXT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KENMORE	F9MXT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	KENMORE	F9MXT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	F9MXT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	KENMORE	F9MXT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KENMORE	F9MXE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KENMORE	F9MXE0601714A	Furnace		1400	0.55%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	KENMORE	F9MXE0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	KENMORE	F9MXE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	F9MXE1002120A	Furnace		1600	0.56%
International Comfort Products, LLC	KENMORE	F9MXE1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	ICP COMMERCIAL	F9MAC0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ICP COMMERCIAL	F9MAC0602120A	Furnace		2000	0.61%
International Comfort Products, LLC	ICP COMMERCIAL	F9MAC0801714A	Furnace		1400	0.44%
International Comfort Products, LLC	ICP COMMERCIAL	F9MAC0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ICP COMMERCIAL	F9MAC1002122A	Furnace		2200	0.55%
International Comfort Products, LLC	ICP COMMERCIAL	F9MAC1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	ICP COMMERCIAL	F9MVT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	ICP COMMERCIAL	F9MVT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ICP COMMERCIAL	F9MVT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	ICP COMMERCIAL	F9MVT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ICP COMMERCIAL	F9MVT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	ICP COMMERCIAL	F9MVT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXT0801714A	Furnace		1600	0.44%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	ICP COMMERCIAL	F9MXT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXE0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXE1002120A	Furnace		1600	0.56%
International Comfort Products, LLC	ICP COMMERCIAL	F9MXE1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	HEIL	G9MAC0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	HEIL	G9MAC0602120A	Furnace		2000	0.61%
International Comfort Products, LLC	HEIL	G9MAC0801714A	Furnace		1400	0.44%
International Comfort Products, LLC	HEIL	G9MAC0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	HEIL	G9MAC1002122A	Furnace		2200	0.55%
International Comfort Products, LLC	HEIL	G9MAC1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	HEIL	G9MVT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	HEIL	G9MVT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	HEIL	G9MVT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	HEIL	G9MVT0802120A	Furnace		2000	0.61%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	HEIL	G9MVT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	HEIL	G9MVT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	HEIL	G9MXT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	HEIL	G9MXT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	HEIL	G9MXT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	HEIL	G9MXT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	HEIL	G9MXT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	HEIL	G9MXT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	HEIL	G9MXE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	HEIL	G9MXE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	HEIL	G9MXE0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	HEIL	G9MXE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	HEIL	G9MXE1002120A	Furnace		1600	0.56%
International Comfort Products, LLC	HEIL	G9MXE1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	COMFORTMAKER	G9MAC0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	COMFORTMAKER	G9MAC0602120A	Furnace		2000	0.61%
International Comfort Products, LLC	COMFORTMAKER	G9MAC0801714A	Furnace		1400	0.44%
International Comfort Products, LLC	COMFORTMAKER	G9MAC0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	COMFORTMAKER	G9MAC1002122A	Furnace		2200	0.55%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	COMFORTMAKER	G9MAC1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	COMFORTMAKER	G9MVT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	COMFORTMAKER	G9MVT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	COMFORTMAKER	G9MVT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	COMFORTMAKER	G9MVT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	COMFORTMAKER	G9MVT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	COMFORTMAKER	G9MVT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	COMFORTMAKER	G9MXT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	COMFORTMAKER	G9MXT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	COMFORTMAKER	G9MXT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	COMFORTMAKER	G9MXT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	COMFORTMAKER	G9MXT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	COMFORTMAKER	G9MXT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	COMFORTMAKER	G9MXE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	COMFORTMAKER	G9MXE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	COMFORTMAKER	G9MXE0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	COMFORTMAKER	G9MXE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	COMFORTMAKER	G9MXE1002120A	Furnace		1600	0.56%
International Comfort Products, LLC	COMFORTMAKER	G9MXE1202422A	Furnace		2200	0.53%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	DAY & NIGHT	G9MAC0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	DAY & NIGHT	G9MAC0602120A	Furnace		2000	0.61%
International Comfort Products, LLC	DAY & NIGHT	G9MAC0801714A	Furnace		1400	0.44%
International Comfort Products, LLC	DAY & NIGHT	G9MAC0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	DAY & NIGHT	G9MAC1002122A	Furnace		2200	0.55%
International Comfort Products, LLC	DAY & NIGHT	G9MAC1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	DAY & NIGHT	G9MVT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	DAY & NIGHT	G9MVT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	DAY & NIGHT	G9MVT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	DAY & NIGHT	G9MVT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	DAY & NIGHT	G9MVT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	DAY & NIGHT	G9MVT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	DAY & NIGHT	G9MXT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	DAY & NIGHT	G9MXT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	DAY & NIGHT	G9MXT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	DAY & NIGHT	G9MXT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	DAY & NIGHT	G9MXT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	DAY & NIGHT	G9MXT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	DAY & NIGHT	G9MXE0401410A	Furnace		1000	0.76%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	DAY & NIGHT	G9MXE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	DAY & NIGHT	G9MXE0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	DAY & NIGHT	G9MXE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	DAY & NIGHT	G9MXE1002120A	Furnace		1600	0.56%
International Comfort Products, LLC	DAY & NIGHT	G9MXE1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	AIRQUEST	G9MAC0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	AIRQUEST	G9MAC0602120A	Furnace		2000	0.61%
International Comfort Products, LLC	AIRQUEST	G9MAC0801714A	Furnace		1400	0.44%
International Comfort Products, LLC	AIRQUEST	G9MAC0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	AIRQUEST	G9MAC1002122A	Furnace		2200	0.55%
International Comfort Products, LLC	AIRQUEST	G9MAC1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	AIRQUEST	G9MVT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	AIRQUEST	G9MVT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	AIRQUEST	G9MVT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	AIRQUEST	G9MVT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	AIRQUEST	G9MVT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	AIRQUEST	G9MVT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	AIRQUEST	G9MXT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	AIRQUEST	G9MXT0601714A	Furnace		1400	0.55%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	AIRQUEST	G9MXT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	AIRQUEST	G9MXT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	AIRQUEST	G9MXT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	AIRQUEST	G9MXT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	AIRQUEST	G9MXE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	AIRQUEST	G9MXE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	AIRQUEST	G9MXE0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	AIRQUEST	G9MXE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	AIRQUEST	G9MXE1002120A	Furnace		1600	0.56%
International Comfort Products, LLC	AIRQUEST	G9MXE1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KENMORE	G9MAC0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KENMORE	G9MAC0602120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	G9MAC0801714A	Furnace		1400	0.44%
International Comfort Products, LLC	KENMORE	G9MAC0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	G9MAC1002122A	Furnace		2200	0.55%
International Comfort Products, LLC	KENMORE	G9MAC1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KENMORE	G9MVT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KENMORE	G9MVT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KENMORE	G9MVT0801714A	Furnace		1600	0.44%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	KENMORE	G9MVT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	G9MVT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	KENMORE	G9MVT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KENMORE	G9MXT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KENMORE	G9MXT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KENMORE	G9MXT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	KENMORE	G9MXT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	G9MXT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	KENMORE	G9MXT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KENMORE	G9MXE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KENMORE	G9MXE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KENMORE	G9MXE0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	KENMORE	G9MXE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	G9MXE1002120A	Furnace		1600	0.56%
International Comfort Products, LLC	KENMORE	G9MXE1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KEEPRITE	G9MAC0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KEEPRITE	G9MAC0602120A	Furnace		2000	0.61%
International Comfort Products, LLC	KEEPRITE	G9MAC0801714A	Furnace		1400	0.44%
International Comfort Products, LLC	KEEPRITE	G9MAC0802120A	Furnace		2000	0.61%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	KEEPRITE	G9MAC1002122A	Furnace		2200	0.55%
International Comfort Products, LLC	KEEPRITE	G9MAC1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KEEPRITE	G9MVT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KEEPRITE	G9MVT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KEEPRITE	G9MVT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	KEEPRITE	G9MVT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KEEPRITE	G9MVT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	KEEPRITE	G9MVT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KEEPRITE	G9MXT0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KEEPRITE	G9MXT0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KEEPRITE	G9MXT0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	KEEPRITE	G9MXT0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KEEPRITE	G9MXT1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	KEEPRITE	G9MXT1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	KEEPRITE	G9MXE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KEEPRITE	G9MXE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KEEPRITE	G9MXE0801714A	Furnace		1600	0.44%
International Comfort Products, LLC	KEEPRITE	G9MXE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KEEPRITE	G9MXE1002120A	Furnace		1600	0.56%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	KEEPRITE	G9MXE1202422A	Furnace		2200	0.53%
International Comfort Products, LLC	COMFORTMAKER	N9MSE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	COMFORTMAKER	N9MSE0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	COMFORTMAKER	N9MSE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	COMFORTMAKER	N9MSE0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	COMFORTMAKER	N9MSE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	COMFORTMAKER	N9MSE1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	COMFORTMAKER	N9MSE1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	COMFORTMAKER	N9MSE1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	COMFORTMAKER	N9MSE1402420A	Furnace		2000	0.46%
International Comfort Products, LLC	COMFORTMAKER	N9MSB0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	COMFORTMAKER	N9MSB0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	COMFORTMAKER	N9MSB0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	COMFORTMAKER	N9MSB0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	COMFORTMAKER	N9MSB0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	COMFORTMAKER	N9MSB1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	COMFORTMAKER	N9MSB1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	COMFORTMAKER	N9MSB1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	AIRQUEST	N9MSE0401410A	Furnace		1000	0.76%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	AIRQUEST	N9MSE0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	AIRQUEST	N9MSE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	AIRQUEST	N9MSE0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	AIRQUEST	N9MSE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	AIRQUEST	N9MSE1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	AIRQUEST	N9MSE1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	AIRQUEST	N9MSE1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	AIRQUEST	N9MSE1402420A	Furnace		2000	0.46%
International Comfort Products, LLC	AIRQUEST	N9MSB0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	AIRQUEST	N9MSB0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	AIRQUEST	N9MSB0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	AIRQUEST	N9MSB0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	AIRQUEST	N9MSB0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	AIRQUEST	N9MSB1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	AIRQUEST	N9MSB1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	AIRQUEST	N9MSB1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	ARCOAIRE	N9MSE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	ARCOAIRE	N9MSE0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	ARCOAIRE	N9MSE0601714A	Furnace		1400	0.55%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	ARCOAIRE	N9MSE0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	ARCOAIRE	N9MSE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ARCOAIRE	N9MSE1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	ARCOAIRE	N9MSE1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	ARCOAIRE	N9MSE1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	ARCOAIRE	N9MSE1402420A	Furnace		2000	0.46%
International Comfort Products, LLC	ARCOAIRE	N9MSB0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	ARCOAIRE	N9MSB0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	ARCOAIRE	N9MSB0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ARCOAIRE	N9MSB0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	ARCOAIRE	N9MSB0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ARCOAIRE	N9MSB1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	ARCOAIRE	N9MSB1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	ARCOAIRE	N9MSB1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	DAY & NIGHT	N9MSE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	DAY & NIGHT	N9MSE0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	DAY & NIGHT	N9MSE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	DAY & NIGHT	N9MSE0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	DAY & NIGHT	N9MSE0802120A	Furnace		2000	0.61%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	DAY & NIGHT	N9MSE1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	DAY & NIGHT	N9MSE1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	DAY & NIGHT	N9MSE1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	DAY & NIGHT	N9MSE1402420A	Furnace		2000	0.46%
International Comfort Products, LLC	DAY & NIGHT	N9MSB0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	DAY & NIGHT	N9MSB0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	DAY & NIGHT	N9MSB0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	DAY & NIGHT	N9MSB0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	DAY & NIGHT	N9MSB0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	DAY & NIGHT	N9MSB1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	DAY & NIGHT	N9MSB1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	DAY & NIGHT	N9MSB1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	HEIL	N9MSE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	HEIL	N9MSE0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	HEIL	N9MSE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	HEIL	N9MSE0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	HEIL	N9MSE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	HEIL	N9MSE1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	HEIL	N9MSE1002120A	Furnace		2000	0.56%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	HEIL	N9MSE1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	HEIL	N9MSE1402420A	Furnace		2000	0.46%
International Comfort Products, LLC	HEIL	N9MSB0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	HEIL	N9MSB0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	HEIL	N9MSB0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	HEIL	N9MSB0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	HEIL	N9MSB0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	HEIL	N9MSB1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	HEIL	N9MSB1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	HEIL	N9MSB1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSE0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSE0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSE1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSE1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSE1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSE1402420A	Furnace		2000	0.46%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	ICP COMMERCIAL	N9MSB0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSB0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSB0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSB0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSB0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSB1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSB1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	ICP COMMERCIAL	N9MSB1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	KEEPRITE	N9MSE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KEEPRITE	N9MSE0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	KEEPRITE	N9MSE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KEEPRITE	N9MSE0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	KEEPRITE	N9MSE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KEEPRITE	N9MSE1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	KEEPRITE	N9MSE1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	KEEPRITE	N9MSE1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	KEEPRITE	N9MSE1402420A	Furnace		2000	0.46%
International Comfort Products, LLC	KEEPRITE	N9MSB0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KEEPRITE	N9MSB0601410A	Furnace		1000	0.58%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	KEEPRITE	N9MSB0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KEEPRITE	N9MSB0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	KEEPRITE	N9MSB0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KEEPRITE	N9MSB1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	KEEPRITE	N9MSB1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	KEEPRITE	N9MSB1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	KENMORE	N9MSE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KENMORE	N9MSE0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	KENMORE	N9MSE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KENMORE	N9MSE0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	KENMORE	N9MSE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	N9MSE1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	KENMORE	N9MSE1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	KENMORE	N9MSE1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	KENMORE	N9MSE1402420A	Furnace		2000	0.46%
International Comfort Products, LLC	KENMORE	N9MSB0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	KENMORE	N9MSB0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	KENMORE	N9MSB0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	KENMORE	N9MSB0801716A	Furnace		1600	0.44%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	KENMORE	N9MSB0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	KENMORE	N9MSB1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	KENMORE	N9MSB1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	KENMORE	N9MSB1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	MARATHERM	N9MSE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	MARATHERM	N9MSE0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	MARATHERM	N9MSE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	MARATHERM	N9MSE0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	MARATHERM	N9MSE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	MARATHERM	N9MSE1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	MARATHERM	N9MSE1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	MARATHERM	N9MSE1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	MARATHERM	N9MSE1402420A	Furnace		2000	0.46%
International Comfort Products, LLC	MARATHERM	N9MSB0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	MARATHERM	N9MSB0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	MARATHERM	N9MSB0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	MARATHERM	N9MSB0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	MARATHERM	N9MSB0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	MARATHERM	N9MSB1002114A	Furnace		1400	0.56%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	MARATHERM	N9MSB1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	MARATHERM	N9MSB1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	TEMPSTAR	N9MSE0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	TEMPSTAR	N9MSE0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	TEMPSTAR	N9MSE0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	TEMPSTAR	N9MSE0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	TEMPSTAR	N9MSE0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	TEMPSTAR	N9MSE1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	TEMPSTAR	N9MSE1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	TEMPSTAR	N9MSE1202420A	Furnace		2000	0.53%
International Comfort Products, LLC	TEMPSTAR	N9MSE1402420A	Furnace		2000	0.46%
International Comfort Products, LLC	TEMPSTAR	N9MSB0401410A	Furnace		1000	0.76%
International Comfort Products, LLC	TEMPSTAR	N9MSB0601410A	Furnace		1000	0.58%
International Comfort Products, LLC	TEMPSTAR	N9MSB0601714A	Furnace		1400	0.55%
International Comfort Products, LLC	TEMPSTAR	N9MSB0801716A	Furnace		1600	0.44%
International Comfort Products, LLC	TEMPSTAR	N9MSB0802120A	Furnace		2000	0.61%
International Comfort Products, LLC	TEMPSTAR	N9MSB1002114A	Furnace		1400	0.56%
International Comfort Products, LLC	TEMPSTAR	N9MSB1002120A	Furnace		2000	0.56%
International Comfort Products, LLC	TEMPSTAR	N9MSB1202420A	Furnace		2000	0.53%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	GRANDAIR	WFSR040A030A	Furnace		1000	0.76%
International Comfort Products, LLC	GRANDAIR	WFSR060B042A	Furnace		1400	0.55%
International Comfort Products, LLC	GRANDAIR	WFSR080B048A	Furnace		1600	0.44%
International Comfort Products, LLC	GRANDAIR	WFSR080C060A	Furnace		2000	0.61%
International Comfort Products, LLC	GRANDAIR	WFSR100C042A	Furnace		1400	0.56%
International Comfort Products, LLC	GRANDAIR	WFSR100C060A	Furnace		2000	0.56%
International Comfort Products, LLC	GRANDAIR	WFSR120D060A	Furnace		2000	0.53%
International Comfort Products, LLC	GRANDAIR	WFAR040A030A	Furnace		1000	0.76%
International Comfort Products, LLC	GRANDAIR	WFAR060B042A	Furnace		1400	0.55%
International Comfort Products, LLC	GRANDAIR	WFAR080B048A	Furnace		1600	0.44%
International Comfort Products, LLC	GRANDAIR	WFAR080C060A	Furnace		2000	0.61%
International Comfort Products, LLC	GRANDAIR	WFAR100C042A	Furnace		1400	0.56%
International Comfort Products, LLC	GRANDAIR	WFAR100C060A	Furnace		2000	0.56%
International Comfort Products, LLC	GRANDAIR	WFAR120D060A	Furnace		2000	0.53%
International Comfort Products, LLC	ECOTEMP	WFSR040A030A	Furnace		1000	0.76%
International Comfort Products, LLC	ECOTEMP	WFSR060B042A	Furnace		1400	0.55%
International Comfort Products, LLC	ECOTEMP	WFSR080B048A	Furnace		1600	0.44%
International Comfort Products, LLC	ECOTEMP	WFSR080C060A	Furnace		2000	0.61%
International Comfort Products, LLC	ECOTEMP	WFSR100C042A	Furnace		1400	0.56%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
International Comfort Products, LLC	ECOTEMP	WFSR100C060A	Furnace		2000	0.56%
International Comfort Products, LLC	ECOTEMP	WFSR120D060A	Furnace		2000	0.53%
International Comfort Products, LLC	ECOTEMP	WFAR040A030A	Furnace		1000	0.76%
International Comfort Products, LLC	ECOTEMP	WFAR060B042A	Furnace		1400	0.55%
International Comfort Products, LLC	ECOTEMP	WFAR080B048A	Furnace		1600	0.44%
International Comfort Products, LLC	ECOTEMP	WFAR080C060A	Furnace		2000	0.61%
International Comfort Products, LLC	ECOTEMP	WFAR100C042A	Furnace		1400	0.56%
International Comfort Products, LLC	ECOTEMP	WFAR100C060A	Furnace		2000	0.56%
International Comfort Products, LLC	ECOTEMP	WFAR120D060A	Furnace		2000	0.53%
Payne Heating & Cooling	Payne	PG95XAT30040A	Furnace		1000	0.76%
Payne Heating & Cooling	Payne	PG95XAT36060B	Furnace		1400	0.55%
Payne Heating & Cooling	Payne	PG95XAT48080B	Furnace		1600	0.44%
Payne Heating & Cooling	Payne	PG95XAT60080C	Furnace		2000	0.61%
Payne Heating & Cooling	Payne	PG95XAT60100C	Furnace		2000	0.56%
Payne Heating & Cooling	Payne	PG95XAT66120D	Furnace		2200	0.53%
Payne Heating & Cooling	Payne	PG95SAS30040A	Furnace		1000	0.76%
Payne Heating & Cooling	Payne	PG95SAS42060B	Furnace		1400	0.55%
Payne Heating & Cooling	Payne	PG95SAS48080B	Furnace		1600	0.44%
Payne Heating & Cooling	Payne	PG95SAS60080C	Furnace		2000	0.61%
Payne Heating & Cooling	Payne	PG95SAS42100C	Furnace		1400	0.56%
Payne Heating & Cooling	Payne	PG95SAS60100C	Furnace		2000	0.56%
Payne Heating & Cooling	Payne	PG95SAS60120D	Furnace		2000	0.53%

Certified Low Leakage Air-Handling Units

Manufacturer Name	Brand Name	Model Number	AHU Type (Furnace, Fan-Coil Unit, Heat Pump, Air Conditioner)	Nominal AHU Airflow Rate (cfm) based on 21.7 cfm per kBtu/hr of rated heating output capacity (when applicable)	Nominal AHU Airflow Rate (cfm) based on 400 cfm per nominal ton of cooling capacity (when applicable)	Certified Leakage Rate at 250 Pa (1.0 inches of water) (% of Nominal AHU Airflow Rate) Systems with Cooling
Payne Heating & Cooling	Payne	PG95SAS60140D	Furnace		2000	0.46%
Payne Heating & Cooling	Payne	PG92SAS30040A	Furnace		1000	0.76%
Payne Heating & Cooling	Payne	PG92SAS42060B	Furnace		1400	0.55%
Payne Heating & Cooling	Payne	PG92SAS48080B	Furnace		1600	0.44%
Payne Heating & Cooling	Payne	PG92SAS60080C	Furnace		2000	0.61%
Payne Heating & Cooling	Payne	PG92SAS42100C	Furnace		1400	0.56%
Payne Heating & Cooling	Payne	PG92SAS60100C	Furnace		2000	0.56%
Payne Heating & Cooling	Payne	PG92SAS60120D	Furnace		2000	0.53%